

# Amputation Prevention Treatment Los Angeles Offered By Dr. Bill Releford





**Inglewood, Oct 17, 2019 (**<u>Issuewire.com</u>**)** - The idea of amputation is frightening. When the risk of losing a limb becomes your reality, you deserve a personal narrowing approach to prevent amputation and withdrawal mobility. The most typical reason for amputation is poor blow circulation, severe burns, accident, or any severe infection that is not answering to old-style treatment.

The **<u>Releford Foot and Ankle Institute</u>** is dedicated to preventing unnecessary bottom-up amputation in helpless communities, domestically as well as globally. With more than 30 years of experience preventing amputation, we have previously seen the devastating effects of premature high-level amputation.

## The number of disease and factors are responsible for amputation:

**Peripheral Vascular Disease:** When a one suffers from peripheral vascular disease, which is a narrowing of the arteries, then this obstruction can occur. This condition accompanies a lesion, causing severe limb ischemia. This is the point when a patient is most at risk of losing a limb.

**Diabetes:** People with diabetes have a more significant risk for difficulties from wound healing for two main reasons. First, diabetes reduced blood movement. Therefore, diabetes cannot ignore any wound right now. Due to these two factors, diabetic foot malfunction is a common issue that often causes major complications.

**Tobacco:** Smoking increases the risk of complications from wound healing. The nicotine found in cigarettes reduces blood flow to the skin.

### Treatment:

The Releford Foot and Ankle Institute's approach to <u>Amputation prevention treatment Los Angeles</u> is aggressive and comprehensive, coordinating traditional and advanced therapies and techniques that are proven to reduce healing time and improve healing rates.

Meanwhile, non-healing wounds rarely have a single cause, and we begin with a more in-depth evaluation and clinical experimentation to determine the root cause of the injury. A treatment plan is then established to give patients the best chance of treatment.

### **Amputation Prevention Center:**

The Amputation Prevention Center at Releford Institute is a surgically focused inpatient and outpatient program designed specifically for patients at risk of diabetes, such as diabetic foot ulcers/infections and peripheral artery disease. Our aim at the amputation prevention center is to prevent low extremity amputation. Most leg amputations of the lower limbs are caused by ulcers that are a result of complications from diabetes, including:

### The Releford Foot and Ankle Institute:

The Releford Foot & Ankle Institute focuses on ambulation prevention, diabetic neuropathy, wound



care, as well as diabetic foot care. The Releford Foot & Ankle Institute is devoted to community-based health transmission through innovative partnerships and a long-term assurance to reduce diabetes-related amputation percent and provide wide-ranging wound care and organ disposal services. This institute, Founded by <u>Dr. Bill Releford</u> and is a full-service foot and ankle medical office that offers the highest standard in the Amputation prevention treatment Los Angeles of foot and ankle conditions related to diabetes.

### **Media Contact**

Releford Foot and Ankle Institute

info@relefordinstitute.com

310-412-0183

- 455 N. Prairie Ave Inglewood, CA
- Source : Releford Foot and Ankle Institute

See on IssueWire : https://www.issuewire.com/amputation-prevention-treatment-los-angeles-offered-bydr-bill-releford-1647613591223895

